

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("6751218" "20040116119" "20040122626" "20040122907").pn. and ("out of date" or old) with "IP"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:12
L2	4	("6751218" "20040116119" "20040122626" "20040122907").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:36
L3	2	("6751218" "20040116119" "20040122626" "20040122907").pn. and "IP address"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:37
L4	0	("6751218" "20040116119" "20040122626" "20040122907").pn. and "IP address" same old	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:37
L5	0	("6751218" "20040116119" "20040122626" "20040122907").pn. and "IP address" same date	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:38
L6	1	("6751218" "20040116119" "20040122626" "20040122907").pn. and "IP address" same (remov\$ or delet\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:39
L7	32	log with update and "IP address" with (remov\$ or delete or "up to date")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:40
L8	0	log with update and "IP address" with (remov\$ or delete or "up to date") and updat with ("appliance" or device) and message and email	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:41
L11	0	log with update and "IP address" with (remov\$ or delete or "up to date") and updat with message same ("appliance" or device)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:42
L12	1	log with update and "IP address" with (remov\$ or delete or "up to date") and updat\$ with message same ("appliance" or device) and message and email	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:43
L13	7	log with update and "IP address" with (remov\$ or delete or "up to date") and updat\$ with message and ("appliance" or device)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:42

L14	32	log with update and "IP address" with (remov\$ or delete or "up to date") and updat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:43
L15	15	log with update and "IP address" with (remov\$ or delete or "up to date") and updat\$ and ("appliance" or device) and message and email	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:44
L16	11	log with update and "IP address" with (remov\$ or delete or "up to date") and updat\$ and ("appliance" or device) and message and email and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:44
L17	11	log with update and "IP address" with (remov\$ or delete or "up to date") and updat\$ and device and message and email and wireless and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:47
L18	233	log with "IP address" and "IP address" with (remov\$ or delete or "up to date") and updat\$ and device and message and email and wireless and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:47
L19	38	log with "IP address" and "IP address" with (remov\$ or delete or "up to date") and updat\$ and device and message and email and wireless and network and updat\$ with message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:48
L20	10	log with "IP address" and "IP address" with (remov\$ or delete or "up to date") and updat\$ and device and message and email and wireless and network and updat\$ with message with log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:48
L22	10	log with "IP address" and "IP address" with (remov\$ or delete or "up to date") and updat\$ and device and message and email and wireless and network and updat\$ with message with log and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:50
L23	0	log with "IP address" and "IP address" with (remov\$ or delete or "up to date") and updat\$ and device and message and email and wireless and network and updat\$ with message with log and wireless and (emergency or important or urgent) with message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:49

L24	9	log with "IP address" and "IP address" with (remov\$ or delete or "up to date") and updat\$ and device and message and email and wireless and network and updat\$ with message with log and wireless and updat\$ with network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:50
L25	9	log with "IP address" and "IP address" with (remov\$ or delete or "up to date") and updat\$ and device and message and email and wireless and updat\$ with message with log and wireless and updat\$ with network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:54
L26	0	"urgent update" with device	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:54
L27	1	"urgent update" same device	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:54
L28	37	"urgent update"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:54
L29	15	"urgent update" and device and message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:06
L30	53	updat\$.ti. and message with updat\$ and device and "IP address" and network with device	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:07
L31	10	updat\$.ti. and message with updat\$ and device and "IP address" and network with device and port and header and log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:29
L32	0	updat\$.ti. same message with updat\$ and device and "IP address" and network with device and port and header and log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:08
L33	0	updat\$.ti. same message and message with updat\$ and device and "IP address" and network with device and port and header and log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:08
L34	6896	log with updat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:29

L35	3073	log with updat\$ and network with device	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:30
L36	86	log with updat\$ and network with device and "ip address" with log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:30
L37	37	log with updat\$ and network with device and "ip address" with log and (delet\$ or remov\$) with log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:30
L38	24	log with updat\$ and network with device and "ip address" with log and (delet\$ or remov\$) with address	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:31
L39	19	log with updat\$ and network with device and "ip address" with log and (delet\$ or remov\$) with "IP address"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:52
L41	1	log with updat\$ and network with device and "ip address" with log and (delet\$ or remov\$) with "IP address" and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:51
L42	3	log with updat\$ and network with device and "ip address" with log and (delet\$ or remov\$) with "IP address" and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:51
L43	8	log with updat\$ and network with device and "ip address" with log and (delet\$ or remov\$) with "IP address" and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:57
L44	0	log with updat\$ with message and network with device and "ip address" with log and (delet\$ or remov\$) with "IP address" and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:55
L45	0	log with updat\$ with message and network and "ip address" with log and (delet\$ or remov\$) with "IP address" and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:55
L46	136	log with updat\$ and network with device and "ip address" with log and (delet\$ or remov\$) with "IP address" and wireless and update with message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:55
L47	136	log with updat\$ and network with device and "ip address" with log and (delet\$ or remov\$) with "IP address" and wireless and update with message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:55

L48	1	"20040122907"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:57
L49	0	"20040122907".pn. and "ip address"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:58
L50	1	"20040122907".pn. and "address"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:58
L51	0	("6751218" "20040116119" "2004 0122626" "20040122907").pn. and log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:04
L52	11	remov\$ with "IP address" with log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:06
L53	2	remov\$ with "IP address" with log and device and message with updat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:05
L54	2	remov\$ with "IP address" with log and router and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:15
L55	5	remov\$ with "IP address" with log and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:09
L56	5	(delet\$ or remov\$) with "IP address" with log and router and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:09
L57	2	("6751218" "20040116119" "2004 0122626" "20040122907").pn. and "ip address"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:12
L58	4	remov\$ with "IP address" with log and network with device and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:15
L59	10	(delet\$ or remov\$) with "IP address" with log and network with device and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:16

L60	10	(delet\$ or remov\$) with "IP address" with log and network with device and wireless and log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:16
S1	4	("6751218" "20040116119" "20040122626" "20040122907").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 19:19
S2	0	("6751218" "20040116119" "20040122626" "20040122907").pn. and "UUN"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 19:18
S3	44	"UUN"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 19:18
S4	4	("6751218" "20040116119" "20040122626" "20040122907").pn. and update	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 19:23
S5	1	("6751218" "20040116119" "20040122626" "20040122907").pn. and update and appliance	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 19:24
S6	4	("6751218" "20040116119" "20040122626" "20040122907").pn. and update and device	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 19:24
S7	3	("6751218" "20040116119" "20040122626" "20040122907").pn. and update and device and message and port	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 22:04
S9	2	("6751218" "20040116119" "20040122626" "20040122907").pn. and update and (device or appliance) with network and message and port	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 22:32
S11	0	("6751218" "20040116119" "20040122626" "20040122907").pn. and update and (device or appliance) with network and message and port and urgent	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 22:07
S12	1	("6751218" "20040116119" "20040122626" "20040122907").pn. and update and (device or appliance) and network and message and port and urgent	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 22:07
S14	1	"urgent update notification"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 22:08

S15	2	"urgent update" and (appliance or device) and network and port	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 22:21
S16	8536	"Port 25"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 22:14
S17	2	"Port 25" and urgent with message and (appliance or device)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 22:14
S18	1	"20040116119".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 22:21
S19	3	("6751218" "20040116119" "20040122626" "20040122907").pn. and "SMTP"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:35